

TECHNICAL DATA SHEET

G & F Products

**STYLE
8115**

G & F 8115 Heat Resistant Leather Gloves, 15-Inch Extra Long Cuff, Premium Cowhide Grain Leather, Barbecue, Fireplace, Grill and BBQ Gloves

**1. DESCRIPTION**

Product description	Long-cuff cowhide leather glove with cotton lining and aramid stitching, for barbecue, grill and fireplace use.
Intended applications	Barbecue and grilling, fire pit and fireplace tending, pizza oven work, log handling.
Not intended for	Not for use as a welding glove or in industrial heat applications unless an EN 407 rating is stated. Not for handling molten metal. Not chemical resistant.

2. FEATURES AND BENEFITS

- Extra long cuff protects the forearm
- Grain and suede cowhide construction
- Cotton lining
- Aramid (Kevlar) stitching
- One size

3. INDUSTRIES AND APPLICATIONS

Industries	Outdoor cooking and hospitality / home and garden
Typical tasks	Grill and fire pit tending, log and charcoal handling, oven work

4. TECHNICAL DATA

Manufacturer item number	8115
---------------------------------	------

UPC (GTIN-12)	899324000991
Shell material	Cowhide leather, grain and suede combinations
Lining	100% cotton
Stitching	Aramid (Kevlar) thread
Cuff length	Stated as both 15 in and 14.5 in
Sizes available	One size
Unit of measure	Pair
Packaging	1 pair
Country of origin	China

5. PERFORMANCE DATA

Standard and edition	Property	Result	Test method	Laboratory	Report no. / date
EN 407:2020 clause 6.3	Contact heat performance level	Level 1	EN ISO 12127-1:2015	Intertek Testing Services Shenzhen, Guangzhou branch	GZHT91077906
EN 407:2020	Contact temperature 100 C - threshold time	51, 53 and 45 seconds	EN ISO 12127-1:2015	Intertek	GZHT91077906
EN 407:2020	Contact temperature 250 C - threshold time	11, 12 and 13 seconds (requirement is 15 s)	EN ISO 12127-1:2015	Intertek	GZHT91077906
EN 407:2020	Observation	No melting or holing of the innermost layers at either temperature	—	Intertek	—

6. CARE AND SERVICE LIFE

Inspection before use	Inspect for holes, tears, coating separation or stiffening before each use.
Critical defects - discard immediately	Any hole, tear or cut through the material; coating separated from the shell.
Major defects - remove from service	Material hardened, cracked or worn smooth; seam or cuff separation.
Storage conditions	Store clean and dry, away from direct sunlight, heat and ozone sources.

7. REGULATORY AND MATERIAL STATEMENTS

Natural rubber latex	Does not contain natural rubber latex
CPSIA	Not applicable - adult product
Food contact	Not claimed

8. SKU INFORMATION

SKU	Size	Colour	Pack	UPC
8113	One size	Brown suede	1 pair	899324000991
8115	One size	Brown grain	1 pair	899324000991

DISCLAIMER

The information in this data sheet is provided in good faith and is believed accurate at the date of issue. Neither this document nor any statement made in it should be construed as a warranty of merchantability or that any product is fit for a particular purpose. The user is responsible for assessing the hazards of the intended application, for selecting appropriate protective equipment, and for conducting any testing needed to confirm suitability. Performance ratings apply to the product as supplied and unmodified. Specifications are subject to change.

DOCUMENT CONTROL

Document no.	Revision	Issue date	Originator	Revised by	Revision date
TDS-B002HE0XJA	1.0	—	—	—	—